

Copyright © 2017 Delta Electricity ABN 75 162 696 335

Community Information | Site map | Staff Login | Accessibility | Privacy | Copyright | Contact Us

General Enquiries & Complaints (24 hours) Phone (02) 4352 6111.

[Contact Us](#)

[Admin Login](#)

Quotation

DELTA ELECTRICITY

SPECIFICATION AND QUOTATION NO. C1186/19

VALES POINT POWER STATION

REPAIR OF VALES POINT POWER STATION STRUCTURAL STEEL

SUMMARY OF SPECIFICATION

The following summary indicates the general nature of the Works for which The Principal desires Tenders to be submitted and is issued to enable Contractors to make an assessment whether the Specification documents should be obtained from The Principal for the purpose of submitting a tender response. It does not form part of the Specification and should not be included as part of the Tenderer's offer.

PURPOSE OF WORK

At the written direction of the Principal and under the Schedule of Rates, the Contractor is responsible for the repair of various items of structural steel at Vales Point Power Station for a period of two (2) years. The predominate areas of structural steel work repairs will be in the following areas:

- a) Unit 5 and Unit 6 mill and boiler ash hopper areas which is subject to high levels of corrosion from saltwater (ash and dust return water); and
- b) Unit 5 and Unit 6 condensate pit areas which is subject to high levels of salt water corrosion.

LOCATION OF SITE

The Vales Point Power Station is located on the southern shore of Lake Macquarie, approximately 130 km north of Sydney, New South Wales, and approximately 3 km off the Pacific Highway North of Doyalson.

EXTENT OF WORK

Structural steel work repairs include, but are not limited to:

- a) preparing area for repairs including moving services.

